
t: 03004-8139US <u>Client Ref No.</u>: 03-1593 <u>Inventors</u>: C <u>Title</u>: METHODS AND SYSTEMS FOR CONTROLLING THE DISPLAY OF Atty Docket: 03004-8139US <u>Inventors</u>: Crane et al.

INFORMATION AT AN AIRCRAFT FLIGHT DECK



: 03004-8139US <u>Client Ref No.</u>: 03-1593 <u>Inventors</u>: C <u>Title</u>: METHODS AND SYSTEMS FOR CONTROLLING THE DISPLAY OF Atty Docket: 03004-8139US Inventors: Crane et al.




Fig. 2

Atty Docket: 03004-8139US Client Ref No.: 03-1593 Inventors: Crane et al. Title: METHODS AND SYSTEMS FOR CONTROLLING THE DISPLAY OF

INFORMATION AT AN AIRCRAFT FLIGHT DECK








Fig. 3

: 03004-8139US <u>Client Ref No.</u>: 03-1593 <u>Inventors</u>: C <u>Title</u>: METHODS AND SYSTEMS FOR CONTROLLING THE DISPLAY OF Atty Docket: 03004-8139US Inventors: Crane et al.











t: 03004-8139US <u>Client Ref No.</u>: 03-1593 <u>Inventors</u>: C <u>Title</u>: METHODS AND SYSTEMS FOR CONTROLLING THE DISPLAY OF INFORMATION AT AN AIRCRAFT FLIGHT DECK Atty Docket: 03004-8139US <u>Inventors</u>: Crane et al.





Atty Docket: 03004-8139US <u>Client Ref No.</u>: 03-1593 <u>Inventors</u>: Crane et al. <u>Title</u>: METHODS AND SYSTEMS FOR CONTROLLING THE DISPLAY OF





t: 03004-8139US <u>Client Ref No.</u>: 03-1593 <u>Inventors</u>: C <u>Title</u>: METHODS AND SYSTEMS FOR CONTROLLING THE DISPLAY OF Atty Docket: 03004-8139US Inventors: Crane et al.











Atty Docket: 03004-8139US Client Ref No.: 03-1593 Inventors: Crane et al. Title: METHODS AND SYSTEMS FOR CONTROLLING THE DISPLAY OF INFORMATION AT AN AIRCRAFT FLIGHT DECK 13/13 -701 RECEIVE OPERATIONS INFORMATION 700 PRESENT A FIRST PORTION OF THE OPERATIONS -702 INFORMATION OVER A FIRST AREA OF A DISPLAY MEDIUM, THE FIRST AREA HAVING A FIRST SIZE RECEIVE A SIGNAL CORRESPONDING TO AN -703 INSTRUCTION TO INCREASE A FRACTION OF THE DISPLAY MEDIUM OCCUPIED BY THE **OPERATIONS INFORMATION** Fig. 7A PRESENT AT LEAST THE FIRST PORTION OF THE -704 OPERATIONS INFORMATION OVER A SECOND AREA OF THE DISPLAY MEDIUM, THE SECOND AREA HAVING A SECOND SIZE GREATER THAN THE FIRST SIZE 711 RECEIVE OPERATIONS INFORMATION 710 PRESENT A FIRST PORTION OF THE OPERATIONS INFORMATION OVER A FIRST AREA OF A 712-DISPLAY MEDIUM OCCUPYING APPROXIMATELY A FIRST HALF OF AN AVAILABLE DISPLAY AREA AT THE DISPLAY MEDIUM PRESENT A SECOND PORTION OF THE OPERATIONS 713-INFORMATION OVER A SECOND AREA OF THE DISPLAY MEDIUM OCCUPYING APPROXIMATELY A SECOND HALF OF THE AVAILABLE DISPLAY AREA RECEIVE A SIGNAL FROM A USER 714-CORRESPONDING TO AN INSTRUCTION TO CHANGE THE INFORMATION PRESENTED AT THE FIRST AREA OF THE DISPLAY MEDIUM CHANGE THE OPERATIONS INFORMATION PRESENTED AT THE FIRST AREA OF THE DISPLAY MEDIUM 715-WITHOUT CHANGING THE OPERATIONS INFORMATION PRESENTED AT THE SECOND AREA OF THE DISPLAY MEDIUM OR INDEPENDENTLY OF A CHANGE IN THE OPERATIONS INFORMATION PRESENTED AT Fig. THE SECOND AREA OF THE DISPLAY MEDIUM